

FLAT-PAK AMPLIFIERS



- All metal construction
- Mount anywhere with 4 screws
- Additional mounting options available
- 3 ½ inch / 8.89cm height (2RU)
- Various lengths



FP-PA18 SERIES



FP-PA18



FP-PA18H

- 18 Watts mono output into 8 Ω
 - Includes sleep timer for standby mode:
 - Absence of audio signal starts timer
 - Timer settings: 5, 15, 25 minutes or off
 - Audio restores full power in 135 ms
 - Line level input with adjustable gain
 - Compressor / Limiter included
 - Includes power supply
-
- High temperature power amplifier
 - Operates in temperatures to 70°C /158°F
 - Same features as FP-PA18 above except:
 - Full time operation / no sleep timer

FP-PA20 SERIES



FP-PA20

- 20 Watts mono output into 8 Ω
- Class AB amplifier
- Line level input with adjustable gain
- Compressor included
- VERY popular series



FP-PA20A

- 20 Watts mono output into 70 and 100 V
- Same features as FP-PA20



FP-PA20B

- 20 Watts mono output into 25 V
- Same features as FP-PA20

FP-PA35A



FP-PA35A

- 35 Watts mono output into 25/70/100 V
- Includes sleep timer for standby mode:
 - Absence of audio signal starts timer
 - Timer settings: 5, 15, 25 minutes or off
 - Audio restores full power in 135 ms
- Line level input with adjustable gain
- Compressor / Limiter included
- Includes power supply